



Brussels, 11.12.2017
COM(2017) 746 final

2017/0331 (NLE)

Proposal for a

COUNCIL REGULATION

**amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs
Tariff duties on certain agricultural and industrial products**

EXPLANATORY MEMORANDUM

1. CONTEXT OF THE PROPOSAL

• **Reasons for and objectives of the proposal**

Certain agricultural and industrial products are not produced in the European Union, or not in sufficient quantity. To ensure sufficient and uninterrupted supplies and to prevent market disturbance for these products, Council Regulation (EU) No 1387/2013 partially or totally suspended some autonomous Common Customs Tariff duties.

The Regulation is updated every six months to accommodate the needs of EU industry. The Commission, assisted by the Economic Tariff Questions Group (ETQG), reviews all Member State requests for autonomous Common Customs Tariff duties to be suspended temporarily.

Following this review, the Commission considers that a suspension of duties is justified for some new products currently not listed in the Annex to the Regulation. The conditions governing the description, classification or end-use requirement of some other products should be changed. Products for which a tariff suspension is no longer in the EU's economic interest should be withdrawn.

• **Consistency with existing policy provisions in the policy area**

This proposal does not affect countries that have a preferential trading agreement with the EU, candidate countries or potential candidates for preferential agreements with the EU (e.g. the Generalised System of Preferences, the African, Caribbean and Pacific group trading arrangements, or free-trade agreements).

• **Consistency with other Union policies**

The proposal is in line with EU policies on agriculture, trade, enterprise, development and external relations.

2. LEGAL BASIS, SUBSIDIARITY AND PROPORTIONALITY

• **Legal basis**

The legal basis of this proposal is Article 31 of the Treaty on the Functioning of the European Union (TFEU).

• **Subsidiarity (for non-exclusive competence)**

The proposal falls under the EU's exclusive competence. The subsidiarity principle therefore does not apply.

• **Proportionality**

The proposal complies with the principle of proportionality. The measures envisaged are in line with the principles for simplifying procedures for operators engaged in foreign trade, as stated in the Commission Communication concerning autonomous tariff suspensions and quotas. This Regulation does not go beyond what is necessary to achieve the objectives pursued in accordance with Article 5(4) of the Treaty on European Union (TEU).

- **Choice of the instrument**

By virtue of Article 31 of the TFEU, "*Common Customs Tariff duties shall be fixed by the Council on a proposal from the Commission*". Therefore, a regulation is the appropriate instrument.

3. RESULTS OF EX-POST EVALUATIONS, STAKEHOLDER CONSULTATIONS AND IMPACT ASSESSMENTS

- **Ex-post evaluations/fitness checks of existing legislation**

A 2013 evaluation of the entire autonomous suspensions scheme concluded that the core rationale for the scheme remains valid. The cost savings for EU businesses importing goods under the scheme can be significant. In turn, depending on the product, company and sector, those savings can have wider benefits, such as boosting competitiveness, making production methods more efficient, and creating and keeping jobs in the EU. Details of the savings of this regulation can be found in the attached legislative financial statement.

- **Stakeholder consultations**

The ETQG, brings together delegates from all Member States plus Turkey, assisted the Commission to prepare this proposal. The group met three times before agreeing the changes in this proposal.

It carefully assessed each request (new, or for an amendment). It focused especially on the need to prevent any harm to EU producers, and to strengthen and consolidate the competitiveness of EU production.

All listed suspensions were the subject of agreements or compromises reached in the ETQG's discussions. No potentially serious risks with irreversible consequences were mentioned.

- **Impact assessment**

The proposed amendment is technical and concerns only the coverage of suspensions listed in the Annex to Council Regulation (EU) No 1387/2013. Therefore, no impact assessment has been carried out for this proposal.

- **Fundamental rights**

The proposal has no impact on fundamental rights.

4. BUDGETARY IMPLICATIONS

This proposal has no financial impact on expenditure but has a financial impact on revenue. Uncollected customs duties total approximately EUR 15,7 million per year. The effect on the budget's traditional own resources is EUR 12,5 million per year (i.e. 80% of the total). The legislative financial statement sets out the budgetary implications of the proposal in greater detail.

The loss of revenue in traditional own resources shall be compensated by Member States' Gross National Income (GNI) based own resource contributions.

5. OTHER ELEMENTS

- **Implementation plans and monitoring, evaluation and reporting arrangements**

The measures proposed are managed under TARIC (the Integrated Tariff of the European Union) and applied by Member States' customs administrations.

Furthermore, the whole scheme of autonomous suspensions and quotas was subject to an evaluation study which was completed in the beginning of December 2013 (http://ec.europa.eu/taxation_customs/common/publications/studies/index_en.htm). The evaluation concluded that the core rationale for the scheme remains valid and that the scheme should continue.

Proposal for a

COUNCIL REGULATION

amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) The Union production of 67 products that are currently not listed in the Annex to Council Regulation (EU) No 1387/2013¹ is not sufficient to cover the needs of the Union industry. It is, therefore, in the interest of the Union to totally suspend the autonomous Common Customs Tariff ('CCT') duties for those products.
- (2) It is necessary to modify the conditions of 49 suspensions of autonomous CCT duties, currently listed in the Annex to Regulation (EU) No 1387/2013, in order to take into account technical product developments and economic trends on the market. Certain product classifications have been amended to allow the industry to fully benefit from the suspensions in force. Moreover, the Annex to Regulation (EU) No 1387/2013 should be updated due to the need to align or clarify texts in some cases. The modified conditions relate to changes in the product description, classification, duty rates or end-use requirements.
- (3) The date for mandatory review set out in Regulation (EU) No 1387/2013 should be revised for 188 suspensions.
- (4) It is no longer in the interest of the Union to maintain 92 of the suspension of autonomous CCT duties that are currently included in the list set out in the Annex to Regulation (EU) No 1387/2013.
- (5) In the interest of clarity, the entries for the suspensions that are modified or newly introduced by this Regulation should be marked with an asterisk while the asterisk should be removed from the entries for the suspensions which are not modified by this Regulation.
- (6) Regulation (EU) No 1387/2013 should therefore be amended accordingly.
- (7) In order to avoid any interruption of the application of the suspension scheme and to fulfil the guidelines set out in the Commission Communication concerning autonomous tariff suspensions and quotas (2011/C 363/2011)², the changes regarding

¹ Council Regulation (EU) No 1387/2013 of 17 December 2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products and repealing Regulation (EU) No 1344/2011 (OJ L 354, 28.12.2013, p. 201).

² OJ C 363, 13.12.2011, p. 6.

the suspensions for the products concerned provided for in this Regulation should enter into force as a matter of urgency and apply from 1 January 2018,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EU) No 1387/2013 is amended as follows:

- (1) the rows for the products for which the CN and TARIC codes are set out in Annex I to this Regulation are deleted;
- (2) all asterisks and in the notes, the line '* A newly introduced measure or a measure with amended conditions.' are deleted;
- (3) the rows for the products listed in Annex II to this Regulation are inserted following the order of the CN codes indicated in the first column of the table in the Annex to Regulation (EU) No 1387/2013.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2018.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

*For the Council
The President*

LEGISLATIVE FINANCIAL STATEMENT

1. NAME OF THE PROPOSAL:

Council Regulation amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products

2. BUDGET LINES:

Chapter and Article:

Chapter 1 2 and Article 1 2 0 – Customs duties and other duties referred to in point (a) of Article 2(1) of Decision 2014/335/EU, Euratom;

Amount budgeted for the year 2018 (22 844 000 000 EUR)

3. FINANCIAL IMPACT

Proposal has no financial implications

X Proposal has no financial impact on expenditure but has a financial impact on revenue -the effect is as follows:

(EUR million to one decimal place³)

Budget line	Revenue ⁴	12 month period, starting dd/mm/yyyy	[2018 – 2022]
Article 120	<i>Impact on own resources</i>	01/01/2018	- 12,5

Annex I contains 67 new products. The uncollected duties corresponding to these suspensions, calculated on the basis of requesting Member State projections for the period 2018 to 2022, amount to EUR 22,2 million per year.

On the basis of the existing statistics for preceding years, it would appear, however, necessary to increase this amount by an average factor, estimated at 1,8 to take account of imports into other Member States using the same suspensions. This will result in uncollected duties of around EUR 40,0 million per year.

92 products have been withdrawn from the Annex to the regulation, reflecting the reintroduction of customs duties. This represents an increase of EUR 24,3 million in the collection of duties. As the deletions are in force as of 1st of January 2018 statistics are not available and the increase has been calculated using requesting Member State projections.

³ The amounts per year need to be an estimation based on the formula under section 5 with a footnote indicating it, e.g. "indicative amount based on the agreed formula". For the starting year, the yearly amount is normally paid without a reduction or pro rata.

⁴ In the case of traditional own resources (agricultural duties, sugar levies, customs duties), the amounts indicated must be net amounts, i.e. gross amounts after deduction of 20 % for collection costs.

On the basis of the above, the impact on the loss of revenue for the EU budget resulting from this Regulation is estimated at EUR 15,7 million (EUR 40,0 – 24,3 million). Multiplying this gross amount, including collection costs, by a factor of 0,8 gives a total of EUR 12,5 million per year for the period running from 1 January 2018 to 31 December 2022.

4. ANTI-FRAUD MEASURES

Checks on the end-use of some of the products covered by this Council Regulation will be carried out in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code.



Brussels, 11.12.2017
COM(2017) 746 final

ANNEXES 1 to 2

ANNEXES

to the

Proposal for a COUNCIL REGULATION

**amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs
Tariff duties on certain agricultural and industrial products**

ANNEX I

In the table set out in the Annex to Regulation (EU) No 1387/2013, the rows relating to suspensions for the products identified by the following CN and TARIC codes are deleted

CN code	TARIC
ex 1511 90 19	20
ex 1511 90 91	20
ex 1513 11 10	20
ex 1513 19 30	20
ex 1513 21 10	20
ex 1513 29 30	20
ex 2007 99 50	81
ex 2007 99 50	82
ex 2007 99 50	83
ex 2007 99 50	84
ex 2007 99 50	85
ex 2007 99 50	91
ex 2007 99 50	92
ex 2007 99 50	93
ex 2007 99 50	94
ex 2007 99 50	95
ex 2007 99 93	10
ex 2008 93 91	20
ex 2008 99 49	70
ex 2008 99 99	11
ex 2804 50 90	10
ex 2805 19 90	20
ex 2811 19 80	30
ex 2811 22 00	70
ex 2816 40 00	10

CN code	TARIC
ex 2823 00 00	10
ex 2823 00 00	20
ex 2825 10 00	10
ex 2825 60 00	10
ex 2835 10 00	10
ex 2837 20 00	20
ex 2839 19 00	10
ex 2841 80 00	10
ex 2841 90 85	10
ex 2850 00 20	30
ex 2850 00 20	50
2903 39 31	
ex 2903 39 35	10
ex 2903 89 80	50
ex 2904 99 00	40
ex 2905 19 00	70
ex 2905 19 00	80
ex 2905 39 95	20
ex 2905 39 95	40
ex 2906 29 00	30
ex 2907 29 00	55
ex 2908 99 00	40
ex 2909 60 00	40
ex 2912 29 00	50
ex 2912 49 00	20
ex 2914 19 90	20
ex 2914 19 90	30
ex 2914 19 90	40
ex 2914 39 00	30

CN code	TARIC
ex 2914 39 00	70
ex 2914 39 00	80
ex 2914 50 00	45
ex 2914 50 00	60
ex 2914 50 00	70
ex 2914 79 00	20
ex 2915 60 19	10
ex 2915 90 70	30
ex 2915 90 70	75
ex 2916 12 00	70
ex 2916 13 00	10
ex 2916 39 90	55
ex 2916 39 90	75
ex 2916 39 90	85
ex 2917 19 10	20
ex 2917 39 95	70
ex 2918 29 00	35
ex 2918 30 00	50
ex 2918 99 90	15
ex 2920 29 00	50
ex 2920 29 00	60
ex 2920 90 10	60
ex 2920 90 70	40
ex 2920 90 70	50
2921 13 00	
ex 2921 19 99	70
ex 2921 30 99	40
ex 2921 42 00	86
ex 2921 42 00	87

CN code	TARIC
ex 2921 42 00	88
ex 2921 43 00	80
ex 2921 49 00	85
ex 2921 59 90	30
ex 2921 59 90	60
ex 2922 19 00	20
ex 2922 19 00	25
ex 2922 49 85	20
ex 2922 49 85	60
ex 2924 19 00	80
ex 2924 29 70	51
ex 2924 29 70	53
ex 2924 29 70	86
ex 2924 29 70	87
ex 2925 19 95	20
ex 2925 19 95	30
ex 2927 00 00	80
ex 2928 00 90	60
ex 2929 10 00	20
ex 2929 10 00	55
ex 2929 10 00	80
ex 2930 20 00	10
ex 2930 90 98	65
ex 2930 90 98	66
ex 2930 90 98	68
ex 2930 90 98	83
ex 2931 39 90	08
ex 2931 39 90	25
ex 2932 14 00	10

CN code	TARIC
ex 2932 20 90	20
ex 2932 20 90	40
ex 2932 99 00	25
ex 2932 99 00	80
ex 2933 19 90	80
ex 2933 19 90	85
ex 2933 29 90	80
ex 2933 39 99	12
ex 2933 39 99	18
ex 2933 39 99	50
ex 2933 39 99	57
ex 2933 49 10	30
ex 2933 49 90	25
ex 2933 59 95	77
ex 2933 59 95	88
ex 2933 79 00	30
ex 2933 99 80	18
ex 2933 99 80	24
ex 2933 99 80	28
ex 2933 99 80	43
ex 2933 99 80	47
ex 2933 99 80	51
ex 2934 10 00	15
ex 2934 10 00	25
ex 2934 10 00	35
ex 2934 20 80	40
ex 2934 30 90	10
ex 2934 99 90	14
ex 2934 99 90	18

CN code	TARIC
ex 2934 99 90	22
ex 2934 99 90	35
ex 2934 99 90	37
ex 2934 99 90	38
ex 2934 99 90	74
ex 2935 90 90	73
ex 2940 00 00	40
ex 3204 11 00	30
ex 3204 11 00	70
ex 3204 11 00	80
ex 3204 12 00	20
ex 3204 12 00	30
ex 3204 13 00	20
ex 3204 13 00	30
ex 3204 13 00	40
ex 3204 17 00	12
ex 3204 17 00	60
ex 3204 17 00	75
ex 3204 17 00	80
ex 3204 17 00	85
ex 3204 17 00	88
ex 3204 19 00	52
ex 3204 19 00	84
ex 3204 19 00	85
ex 3205 00 00	20
ex 3207 40 85	40
ex 3208 90 19	25
ex 3208 90 19	35
ex 3208 90 19	75

CN code	TARIC
ex 3208 90 91	20
ex 3215 11 90	10
ex 3215 19 90	10
ex 3215 19 90	20
ex 3402 13 00	20
ex 3707 90 29	50
ex 3802 90 00	11
ex 3808 91 90	60
ex 3808 93 15	10
ex 3811 21 00	30
ex 3811 21 00	50
ex 3811 21 00	60
ex 3811 21 00	70
ex 3811 21 00	85
ex 3811 29 00	20
ex 3811 29 00	30
ex 3811 29 00	40
ex 3811 29 00	50
ex 3811 29 00	55
ex 3811 90 00	40
ex 3812 39 90	80
ex 3815 19 90	87
ex 3815 90 90	16
ex 3815 90 90	18
ex 3815 90 90	71
ex 3815 90 90	85
ex 3824 99 92	22
ex 3824 99 92	35
ex 3824 99 92	39

CN code	TARIC
ex 3824 99 92	44
ex 3824 99 92	47
ex 3824 99 92	48
ex 3824 99 92	49
ex 3824 99 92	50
ex 3824 99 92	80
ex 3824 99 92	83
ex 3824 99 92	86
ex 3824 99 93	57
ex 3824 99 93	63
ex 3824 99 93	77
ex 3824 99 93	83
ex 3824 99 93	88
ex 3824 99 96	50
ex 3824 99 96	79
ex 3824 99 96	85
ex 3824 99 96	87
ex 3902 10 00	10
ex 3902 10 00	50
ex 3903 90 90	15
ex 3904 69 80	85
ex 3905 30 00	10
ex 3905 91 00	30
ex 3906 90 90	27
ex 3907 20 20	20
ex 3907 30 00	60
ex 3907 69 00	50
ex 3907 99 80	25
ex 3907 99 80	60

CN code	TARIC
ex 3907 99 80	70
ex 3908 90 00	60
ex 3909 40 00	30
ex 3910 00 00	50
ex 3911 90 19	30
ex 3911 90 99	53
ex 3911 90 99	57
ex 3919 10 80	40
ex 3919 10 80	45
ex 3919 10 80	47
ex 3919 10 80	53
ex 3919 10 80	55
ex 3919 90 80	25
ex 3919 90 80	32
ex 3919 90 80	34
ex 3919 90 80	36
ex 3919 90 80	38
ex 3919 90 80	40
ex 3919 90 80	42
ex 3919 90 80	43
ex 3919 90 80	44
ex 3919 90 80	45
ex 3919 90 80	47
ex 3919 90 80	53
ex 3919 90 80	60
ex 3920 10 28	93
ex 3920 10 40	30
ex 3920 10 89	50
ex 3920 20 29	55

CN code	TARIC
ex 3920 20 29	94
ex 3920 20 80	93
ex 3920 20 80	95
ex 3920 49 10	95
ex 3920 62 19	60
ex 3920 99 28	55
ex 3921 13 10	20
ex 3921 90 60	95
ex 3926 90 92	40
ex 3926 90 97	20
ex 3926 90 97	77
ex 4104 41 19	10
ex 5407 10 00	10
ex 5603 11 10	20
ex 5603 11 90	20
ex 5603 12 90	50
ex 6909 19 00	15
ex 7005 10 30	10
ex 7009 10 00	50
ex 7019 12 00	05
ex 7019 12 00	25
ex 7019 19 10	15
ex 7019 19 10	50
ex 7409 19 00	10
ex 7410 21 00	70
ex 7601 20 20	10
ex 7607 20 90	10
ex 7616 99 90	75
ex 8102 10 00	10

CN code	TARIC
ex 8105 90 00	10
ex 8108 20 00	50
ex 8108 90 30	20
ex 8108 90 50	10
ex 8108 90 50	15
ex 8108 90 50	30
ex 8108 90 50	35
ex 8108 90 50	50
ex 8108 90 50	60
ex 8108 90 50	75
ex 8113 00 90	10
ex 8207 30 10	10
ex 8407 33 20	10
ex 8407 33 80	10
ex 8407 90 80	10
ex 8407 90 90	10
ex 8408 90 43	40
ex 8408 90 45	30
ex 8408 90 47	50
ex 8409 91 00	20
ex 8409 91 00	30
ex 8409 99 00	50
ex 8411 99 00	60
ex 8411 99 00	65
ex 8414 59 25	30
ex 8415 90 00	50
ex 8431 20 00	30
ex 8481 80 69	60
ex 8482 10 10	30

CN code	TARIC
ex 8482 10 90	20
ex 8483 30 38	40
ex 8501 10 99	60
ex 8501 31 00	25
ex 8501 31 00	33
ex 8501 31 00	35
ex 8501 32 00	70
ex 8501 62 00	30
ex 8503 00 99	40
ex 8504 31 80	20
ex 8504 31 80	40
ex 8504 40 82	40
ex 8504 50 95	50
ex 8505 11 00	35
ex 8505 11 00	50
ex 8505 11 00	60
ex 8506 90 00	10
ex 8507 60 00	25
ex 8507 60 00	50
ex 8507 60 00	53
ex 8507 60 00	55
ex 8507 60 00	57
ex 8511 30 00	50
ex 8512 90 90	10
ex 8516 90 00	70
ex 8518 29 95	30
ex 8522 90 80	15
ex 8522 90 80	96
ex 8525 80 19	45

CN code	TARIC
ex 8529 90 65	75
ex 8529 90 92	70
ex 8536 69 90	51
ex 8536 69 90	81
ex 8536 69 90	88
ex 8536 90 95	30
ex 8537 10 91	30
ex 8537 10 98	92
ex 8544 20 00	20
ex 8544 30 00	35
ex 8544 30 00	80
ex 8544 42 90	30
ex 8544 42 90	60
ex 8548 10 29	10
ex 8548 90 90	50
ex 8704 23 91	20
ex 8708 40 20	10
ex 8708 40 50	20
ex 8708 50 20	30
ex 8708 50 99	20
ex 8708 93 10	20
ex 8708 93 90	20
ex 8708 99 10	20
ex 8708 99 97	70
ex 9001 20 00	10
ex 9001 20 00	40
ex 9001 50 41	30
ex 9001 50 49	30
ex 9001 90 00	25

CN code	TARIC
ex 9001 90 00	60
ex 9001 90 00	75
ex 9002 11 00	20
ex 9002 11 00	30
ex 9002 11 00	40
ex 9002 11 00	70
ex 9002 11 00	80
ex 9002 90 00	40
ex 9032 89 00	40

ANNEX II

In the table set out in the Annex to Regulation (EU) No 1387/2013, the following rows are inserted following the order of the CN codes indicated in the first column of that table

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 1511 90 19 *ex 1511 90 91 *ex 1513 11 10 *ex 1513 19 30 *ex 1513 21 10 *ex 1513 29 30	20 20 20 20 20 20	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of: — industrial monocarboxylic fatty acids of subheading 3823 19 10, — methyl esters of fatty acids of heading 2915 or 2916, — fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, — fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, — stearic acid of subheading 3823 11 00, — goods of heading 3401, or — fatty acids with high purity of heading 2915 ⁽¹⁾	0 %	-	31.12.2018
*ex 2007 99 50 *ex 2007 99 50 *ex 2007 99 93	83 93 10	Mango puree concentrate, obtained by cooking: — of the Genus <i>Mangifera spp.</i> , — with a sugar content by weight of not more than 30 % for use in the manufacture of products of food and drink industry ⁽¹⁾	6 % ⁽²⁾	-	31.12.2022
*ex 2007 99 50 *ex 2007 99 50	84 94	Papaya puree concentrate, obtained by cooking: — of the Genus <i>Carica spp.</i> , — with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry ⁽¹⁾	7.8 % ⁽²⁾	-	31.12.2022
*ex 2007 99 50 *ex 2007 99 50	85 95	Guava puree concentrate, obtained by cooking: — of the Genus <i>Psidium spp.</i> , — with a sugar content by weight of more than 13 % but not more than 30 % for use in the manufacture of products of food and drink industry ⁽¹⁾	6 % ⁽²⁾	-	31.12.2022
*ex 2008 93 91	20	Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries ⁽³⁾	0 %	-	31.12.2022
*ex 2008 99 49 *ex 2008 99 99	70 11	Blanched vine leaves of the genus <i>Karakishmish</i> , in brine, containing by weight: — more than 6 % of salt concentration, — 0,1 % or more but not more than 1,4 % of acidity expressed as citric acid monohydrate and — whether or not but not more than 2 000 mg/kg of sodium benzoate according CODEX STAN 192-1995 for use in the manufacture of stuffed vine leaves with rice ⁽¹⁾	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 2106 90 92	50	Casein protein hydrolysate consisting of: — by weight 20 % or more but not more than 70 % free amino acids, and — peptones of which by weight more than 90 % having a molecular weight of not more than 2000 Da	0 %	kg	31.12.2022
*ex 2804 50 90	40	Tellurium (CAS RN 13494-80-9) of a purity by weight of 99,99 % or more, but not more than 99,999 %, based on metallic impurities measured by ICP analysis	0 %	-	31.12.2018
*ex 2805 19 90	20	Lithium metal (CAS RN 7439-93-2) of a purity by weight of 98,8 % or more	0 %	-	31.12.2022
*ex 2811 22 00	15	Amorphous silicon dioxide (CAS RN 60676-86-0), — in the form of powder — of a purity by weight of 99,0 % or more — with a median grain size of 0,7 µm or more, but not more than 2,1 µm — where 70 % of the particles have a diameter of not more than 3 µm	0 %	-	31.12.2020
*ex 2811 29 90	10	Tellurium dioxide (CAS RN 7446-07-3)	0 %	-	31.12.2022
*ex 2816 40 00	10	Barium hydroxide (CAS RN 17194-00-2)	0 %	-	31.12.2022
*ex 2823 00 00	10	Titanium dioxide (CAS RN 13463-67-7): — of a purity by weight of 99,9 % or more, — with an average grain-size of 0,7 µm or more but not more than 2,1 µm	0 %	-	31.12.2022
*ex 2825 10 00	10	Hydroxylammonium chloride (CAS RN 5470-11-1)	0 %	-	31.12.2022
*ex 2825 60 00	10	Zirconium dioxide (CAS RN 1314-23-4)	0 %	-	31.12.2022
*ex 2835 10 00	10	Sodium hypophosphite monohydrate (CAS RN 10039-56-2)	0 %	-	31.12.2022
*ex 2837 20 00	20	Ammonium iron (III) hexacyanoferrate (II) (CAS RN 25869-00-5)	0 %	-	31.12.2022
*ex 2839 19 00	10	Disodium disilicate (CAS RN 13870-28-5)	0 %	-	31.12.2022
*ex 2841 50 00	10	Potassium dichromate (CAS RN 7778-50-9)	0 %	-	31.12.2022
*ex 2841 80 00	10	Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5)	0 %	-	31.12.2022
*ex 2841 90 30	10	Potassium metavanadate (CAS RN 13769-43-2)	0 %	kg	31.12.2022
*ex 2841 90 85	10	Lithium cobalt(III) oxide (CAS RN 12190-79-3) with a cobalt content of at least 59 %	0 %	-	31.12.2022
*ex 2850 00 20	30	Titanium nitride (CAS RN 25583-20-4) with a particle size of not more than 250 nm	0 %	-	31.12.2022
*ex 2850 00 20	60	Disilane (CAS RN 1590-87-0)	0 %	-	31.12.2022
*ex 2903 39 19	20	5-Bromopent-1-ene (CAS RN 1119-51-3)	0 %	-	31.12.2022

CN code	TARİC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*2903 39 31		2,3,3,3-Tetrafluoroprop-1-ene (2,3,3,3-tetrafluoropropene) (CAS RN 754-12-1)	0 %	-	31.12.2022
*ex 2903 39 35	20	<i>Trans</i> -1,3,3,3-tetrafluoroprop-1-ene (<i>Trans</i> -1,3,3,3-tetrafluoropropene) (CAS RN 29118-24-9)	0 %	-	31.12.2018
*ex 2903 39 39	40	1,1,2,3,4,4-hexafluorobuta-1,3-diene (CAS RN 685-63-2)	0 %	-	31.12.2022
*ex 2903 89 80	50	Chlorocyclopentane (CAS RN 930-28-9)	0 %	-	31.12.2022
*ex 2903 89 80	60	Octafluorocyclobutane (CAS RN 115-25-3)	0 %	-	31.12.2022
*ex 2904 99 00	40	4-Chlorobenzenesulphonyl chloride (CAS RN 98-60-2)	0 %	-	31.12.2022
*ex 2905 19 00	70	Titanium tetrabutanolat (CAS RN 5593-70-4)	0 %	-	31.12.2022
*ex 2905 19 00	80	Titanium tetraisopropoxide (CAS RN 546-68-9)	0 %	-	31.12.2022
*ex 2905 39 95	20	Butane-1,2-diol (CAS RN 584-03-2)	0 %	-	31.12.2022
*ex 2905 39 95	40	Decane-1,10-diol (CAS RN 112-47-0)	0 %	-	31.12.2022
*ex 2906 29 00	30	2-Phenylethanol (CAS RN 60-12-8)	0 %	-	31.12.2022
*ex 2908 99 00	40	4,5-Dihydroxynaphthalene-2,7-disulphonic acid (CAS RN 148-25-4)	0 %	-	31.12.2018
*ex 2912 29 00	35	Cinnamaldehyde (CAS RN 104-55-2)	0 %	kg	31.12.2022
*ex 2912 29 00	50	4-Isobutylbenzaldehyde (CAS RN 40150-98-9)	0 %	-	31.12.2018
*ex 2912 49 00	20	4-Hydroxybenzaldehyde (CAS RN 123-08-0)	0 %	-	31.12.2022
*ex 2914 19 90	20	Heptan-2-one (CAS RN 110-43-0)	0 %	-	31.12.2022
*ex 2914 19 90	30	3-Methylbutanone (CAS RN 563-80-4)	0 %	-	31.12.2022
*ex 2914 19 90	40	Pentan-2-one (CAS RN 107-87-9)	0 %	-	31.12.2022
*ex 2914 39 00	30	Benzophenone (CAS RN 119-61-9)	0 %	-	31.12.2022
*ex 2914 39 00	70	Benzil (CAS RN 134-81-6)	0 %	-	31.12.2022
*ex 2914 39 00	80	4'-Methylacetophenone (CAS RN 122-00-9)	0 %	-	31.12.2022
*ex 2914 50 00	45	3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)	0 %	-	31.12.2022
*ex 2914 50 00	60	2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)	0 %	-	31.12.2022
*ex 2914 79 00	20	2,4'-Difluorobenzophenone (CAS RN 342-25-6)	0 %	-	31.12.2022
*ex 2915 60 19	10	Ethyl butyrate (CAS RN 105-54-4)	0 %	-	31.12.2022
*ex 2915 90 70	30	3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)	0 %	-	31.12.2022
*ex 2916 12 00	70	2-(2-Vinyloxyethoxy)ethyl acrylate (CAS RN 86273-46-3)	0 %	-	31.12.2022

CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 2916 13 00	30	Zinc monomethacrylate powder (CAS RN 63451-47-8) whether or not containing not more than 17 % by weight of manufacturing impurities	0 %	-	31.12.2020
*ex 2916 39 90	55	4- <i>tert</i> -Butylbenzoic acid (CAS RN 98-73-7)	0 %	-	31.12.2022
*ex 2916 39 90	75	<i>m</i> -Toluic acid (CAS RN 99-04-7)	0 %	-	31.12.2022
*ex 2916 39 90	85	(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)	0 %	-	31.12.2022
*ex 2917 19 10	20	Diethyl malonate (CAS RN 105-53-3)	0 %	-	31.12.2022
*ex 2918 29 00	35	Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-79-9)	0 %	-	31.12.2022
*ex 2918 30 00	50	Ethyl acetoacetate (CAS RN 141-97-9)	0 %	-	31.12.2022
*ex 2918 99 90	15	Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-83-8)	0 %	-	31.12.2022
*ex 2918 99 90	27	Ethyl 3-ethoxypropionate (CAS RN 763-69-9)	0 %	-	31.12.2022
*ex 2920 29 00	15	Phosphorous acid 3,3',5,5'-tetrakis(1,1-dimethylethyl)-6,6'-dimethyl[1,1'-biphenyl]-2,2'-diyl tetra-1-naphthalenyl ester (CAS RN 198979-98-5)	0 %	-	31.12.2022
*ex 2920 29 00	50	Fosetyl-aluminium (CAS RN 39148-24-8)	0 %	-	31.12.2018
*ex 2920 29 00	60	Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesticides (1)	0 %	-	31.12.2021
*ex 2920 90 10	60	2,4-Di- <i>tert</i> -butyl-5-nitrophenyl methyl carbonate (CAS RN 873055-55-1)	0 %	-	31.12.2022
*2921 13 00		2-(<i>N,N</i> -Diethylamino)ethyl chloride hydrochloride (CAS RN 869-24-9)	0 %	-	31.12.2022
*ex 2921 19 99	70	<i>N,N</i> -Dimethyloctylamine – boron trichloride (1:1) (CAS RN 34762-90-8)	0 %	-	31.12.2022
*ex 2921 30 99	40	Cyclopropylamine (CAS RN 765-30-0)	0 %	-	31.12.2022
*ex 2921 42 00	86	2,5-Dichloroaniline (CAS RN 95-82-9)	0 %	-	31.12.2022
*ex 2921 42 00	87	<i>N</i> -Methylaniline (CAS RN 100-61-8)	0 %	-	31.12.2022
*ex 2921 42 00	88	3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)	0 %	-	31.12.2022
*ex 2921 43 00	80	6-Chloro- α,α,α -trifluoro- <i>m</i> -toluidine (CAS RN 121-50-6)	0 %	-	31.12.2018
*ex 2921 45 00	60	1-Naphthylamine (CAS RN 134-32-7)	0 %	-	31.12.2022
*ex 2921 45 00	70	8-Aminonaphthalene-2-sulphonic acid (CAS RN 119-28-8)	0 %	-	31.12.2022
*ex 2921 59 90	30	3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)	0 %	-	31.12.2022

CN code	TARİC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 2921 59 90	60	(2R,5R)-1,6-Diphenylhexane-2,5-diamine dihydrochloride (CAS RN 1247119-31-8)	0 %	-	31.12.2022
*ex 2922 19 00	20	2-(2-Methoxyphenoxy)ethylamine hydrochloride (CAS RN 64464-07-9)	0 %	-	31.12.2022
*ex 2922 49 85	20	3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-0)	0 %	-	31.12.2022
*ex 2922 49 85	60	Ethyl-4-dimethylaminobenzoate (CAS RN 10287-53-3)	0 %	-	31.12.2022
*ex 2922 49 85	75	L-alanine isopropyl ester hydrochloride (CAS RN 62062-65-1)	0 %	-	31.12.2022
*ex 2922 50 00	15	3,5-Diiodothyronine (CAS RN 1041-01-6)	0 %	-	31.12.2022
*ex 2924 19 00	25	Isobutylidenediurea (CAS RN 6104-30-9)	0 %	-	31.12.2022
*ex 2924 19 00	80	Tetrabutylurea (CAS RN 4559-86-8)	0 %	-	31.12.2022
*ex 2924 29 70	53	4-Amino-N-[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)	0 %	-	31.12.2022
*ex 2924 29 70	86	Anthranilamide (CAS RN 88-68-6) of a purity by weight of 99,5 % or more	0 %	-	31.12.2022
*ex 2925 19 95	20	4,5,6,7-Tetrahydroisindole-1,3-dione (CAS RN 4720-86-9)	0 %	-	31.12.2022
*ex 2925 19 95	30	N,N'-(m-Phenylene)dimalimide (CAS RN 3006-93-7)	0 %	-	31.12.2022
*ex 2927 00 00	80	4-[(2,5-Dichlorophenyl)azo]-3-hydroxy-2-naphthoic acid (CAS RN 51867-77-7)	0 %	-	31.12.2022
*ex 2929 10 00	20	Butyl isocyanate (CAS RN 111-36-4)	0 %	-	31.12.2022
*ex 2929 10 00	55	2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)	0 %	-	31.12.2022
*ex 2929 10 00	80	1,3-Bis(isocyanatomethyl)benzene (CAS RN 3634-83-1)	0 %	-	31.12.2022
*ex 2930 20 00	10	Prosulfocarb (ISO) (CAS RN 52888-80-9)	0 %	-	31.12.2022
*ex 2930 90 98	65	Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)	0 %	-	31.12.2022
*ex 2930 90 98	68	Clethodim (ISO) (CAS RN 99129-21-2)	0 %	-	31.12.2022
*ex 2931 39 90	08	Sodium diisobutylidithiophosphate (CAS RN 13360-78-6) in an aqueous solution	0 %	-	31.12.2022
*ex 2931 39 90	25	(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)	0 %	-	31.12.2022
*ex 2931 90 00	20	Ferrocene (CAS RN 102-54-5)	0 %	-	31.12.2022
*ex 2932 14 00	10	1,6-Dichloro-1,6-dideoxy-β-D-fructofuranosyl-4-chloro-4 deoxy-α-D-galactopyranoside (CAS RN 56038-13-2)	0 %	-	31.12.2019
*ex 2932 20 90	40	(S)-(-)-α-Amino-γ-butyrolactone hydrobromide (CAS RN 15295-	0 %	-	31.12.2022

CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
		77-9)			
*ex 2932 20 90	50	L-Lactide (CAS RN 4511-42-6) or D-Lactide (CAS RN 13076-17-0) or dilactide (CAS RN 95-96-5)	0 %	t	31.12.2022
*ex 2932 99 00	25	1-(2,2-Difluorbenzo[d][1,3]dioxol-5-yl)cyclopropanecarboxylic acid (CAS RN 862574-88-7)	0 %	-	31.12.2022
*ex 2932 99 00	80	1,3:2,4-bis-O-(4-Methylbenzylidene)-D-glucitol (CAS RN 81541-12-0)	0 %	-	31.12.2018
*ex 2933 19 90	80	3-(4,5-Dihydro-3-methyl-5-oxo-1H-pyrazol-1-yl)benzenesulphonic acid (CAS RN 119-17-5)	0 %	-	31.12.2022
*ex 2933 29 90	80	Imazalil (ISO) (CAS RN 35554-44-0)	0 %	-	31.12.2022
*ex 2933 39 99	12	2,3-Dichloropyridine (CAS RN 2402-77-9)	0 %	-	31.12.2022
*ex 2933 39 99	36	1-[2-[5-Methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]acetyl]piperidine-4-carbothioamide (CAS RN 1003319-95-6)	0 %	-	31.12.2022
*ex 2933 39 99	57	Tert-butyl 3-(6-amino-3-methylpyridin-2-yl)benzoate (CAS RN 1083057-14-0)	0 %	-	31.12.2022
*ex 2933 49 10	30	Ethyl 4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 52980-28-6)	0 %	-	31.12.2022
*ex 2933 49 90	25	Cloquintocet-mexyl (ISO) (CAS RN 99607-70-2)	0 %	-	31.12.2021
*ex 2933 59 95	77	3-(Trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1) (CAS RN 762240-92-6)	0 %	-	31.12.2022
*ex 2933 79 00	30	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	0 %	-	31.12.2022
*ex 2933 99 80	24	1,3-Dihydro-5,6-diamino-2H-benzimidazol-2-one (CAS RN 55621-49-3)	0 %	-	31.12.2022
*ex 2933 99 80	41	5-[4'-(bromomethyl)biphenyl-2-yl]-1-trityl-1H-tetrazole (CAS RN 124750-51-2)	0 %	-	31.12.2022
*ex 2933 99 80	46	(S)-indoline-2-carboxylic acid (CAS RN 79815-20-6)	0 %	-	31.12.2022
*ex 2933 99 80	47	Paclobutrazol (ISO) (CAS RN 76738-62-0)	0 %	-	31.12.2022
*ex 2933 99 80	51	Diquat dibromide (ISO) (CAS RN 85-00-7) in aqueous solution for use in the manufacture of herbicides (1)	0 %	-	31.12.2021
*ex 2934 10 00	15	4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)	0 %	-	31.12.2022
*ex 2934 10 00	25	(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate (CAS RN 1247119-36-3)	0 %	-	31.12.2022
*ex 2934 10 00	35	(2-Isopropylthiazol-4-yl)-N-methylmethanamine dihydrochloride (CAS RN 1185167-55-8)	0 %	-	31.12.2022

CN code	TARİC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 2934 20 80	15	Benthiavalicarb-isopropyl (ISO) (CAS RN 177406-68-7)	0 %	kg	31.12.2022
*ex 2934 20 80	40	1,2-Benzisothiazol-3(2H)-one (Benzisothiazolinone (BIT)) (CAS RN 2634-33-5)	0 %	-	31.12.2022
*ex 2934 30 90	10	2-Methylthiophenothiazine (CAS RN 7643-08-5)	0 %	-	31.12.2022
*ex 2934 99 90	37	4-Propan-2-ylmorpholine (CAS RN 1004-14-4)	0 %	-	31.12.2022
*ex 2934 99 90	52	Epoxiconazole (ISO) (CAS RN 133855-98-8)	0 %	-	31.12.2022
*ex 2934 99 90	54	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone (CAS RN 119313-12-1)	0 %	kg	31.12.2022
*ex 2934 99 90	56	1-[5-(2,6-Difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]ethanone (CAS RN 1173693-36-1)	0 %	-	31.12.2022
*ex 2934 99 90	57	(6R,7R)-7-Amino-8-oxo-3-(1-propenyl)-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid (CAS RN 120709-09-3)	0 %	-	31.12.2022
*ex 2934 99 90	58	Dimethenamide-P (CAS RN 163515-14-8)	0 %	-	31.12.2018
*ex 2934 99 90	74	2-Isopropylthioxanthone (CAS RN 5495-84-1)	0 %	-	31.12.2022
*ex 2935 90 90	73	(2S)-2-Benzyl-N,N-dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4)	0 %	-	31.12.2022
*ex 2938 90 90	30	Rebaudioside A (CAS RN 58543-16-1)	0 %	-	31.12.2022
*ex 2938 90 90	40	Purified steviol glycoside with a rebaudioside M (CAS RN 1220616-44-3) content of 80 % or more but not more than 90 % by weight for use in the manufacture of non-alcoholic beverages ⁽¹⁾	0 %	-	31.12.2022
*ex 3204 11 00	35	Colourant C.I Disperse Yellow 232 (CAS RN 35773-43-4) and preparations based thereon with a colourant C.I Disperse Yellow 232 content of 50% or more	0 %	-	31.12.2022
*ex 3204 11 00	45	Preparation of dispersion dyes, containing: — C.I. Disperse Orange 61 or Disperse Orange 288, — C.I. Disperse Blue 291:1, — C.I. Disperse Violet 93:1, — whether or not containing C.I. Disperse Red 54	0 %	-	31.12.2020
*ex 3204 13 00	30	Colourant C.I. Basic Blue 7 (CAS RN 2390-60-5) and preparations based thereon with a colourant C.I. Basic Blue 7 content of 50 % or more by weight	0 %	-	31.12.2018
*ex 3204 13 00	40	Colourant C.I. Basic Violet 1 (CAS RN 603-47-4 or CAS RN 8004-87-3) and preparations based thereon with a colourant C.I. Basic Violet 1 content of 90 % or more by weight	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 3204 15 00	80	Colourant C.I. Vat Blue 1 (CAS RN 482-89-3) and preparations based thereon with a colourant C.I. Vat Blue 1 content of 94 % or more by weight	0 %	-	31.12.2022
*ex 3204 17 00	26	Colourant C.I. Pigment Orange 13 (CAS RN 3520-72-7) and preparations based thereon with a colourant C.I. Pigment Orange 13 content of 80 % or more by weight	0 %	-	31.12.2022
*ex 3204 17 00	75	Colourant C.I. Pigment Orange 5 (CAS RN 3468-63-1) and preparations based thereon with a colourant C.I. Pigment Orange 5 content of 80 % or more by weight	0 %	-	31.12.2022
*ex 3204 17 00	80	Colourant C.I. Pigment Red 207 (CAS RN 71819-77-7) and preparations based thereon with a colourant C.I. Pigment Red 207 content of 50 % or more by weight	0 %	-	31.12.2022
*ex 3204 17 00	85	Colourant C.I. Pigment Blue 61 (CAS RN 1324-76-1) and preparations based thereon with a colourant C.I. Pigment Blue 61 content of 35 % or more by weight	0 %	-	31.12.2022
*ex 3204 17 00	88	Colourant C.I. Pigment Violet 3 (CAS RN 1325-82-2 or CAS RN 101357-19-1) and preparations based thereon with a colourant C.I. Pigment Violet 3 content of 90 % or more by weight	0 %	-	31.12.2022
*ex 3204 19 00	16	Colourant C.I. Solvent Yellow 133 (CAS RN 51202-86-9) and preparations based thereon with a colourant C.I. Solvent Yellow 133 content of 97 % or more by weight	0 %	-	31.12.2022
*ex 3204 19 00	84	Colourant C.I. Solvent Blue 67 (CAS RN 12226-78-7) and preparations based thereon with a colourant C.I. Solvent Blue 67 content of 98 % or more by weight	0 %	-	31.12.2022
*ex 3204 90 00	20	Preparations of colourant C.I. Solvent Red 175 (CAS RN 68411-78-6) in petroleum distillates, hydrotreated light naphthenic (CAS RN 64742-53-6), containing by weight 40 % or more but not more than 60 % C.I. Solvent Red 175	0 %	-	31.12.2022
*ex 3206 49 70	30	Colourant C.I. Pigment Black 12 (CAS RN 68187-02-0) and preparations based thereon with a colourant C.I. Pigment Black 12 content of 50 % or more by weight	0 %	-	31.12.2022
*ex 3207 40 85	40	Glass flakes (CAS RN 65997-17-3): — of a thickness of 0,3 µm or more but not more than 10 µm, and — coated with titanium dioxide (CAS RN 13463-67-7) or iron oxide (CAS RN 18282-10-5)	0 %	-	31.12.2022
*ex 3208 90 19	25	Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50 % (± 2 %) by weight	0 %	-	31.12.2022
*ex 3208 90 91	20				
*ex 3208 90 19	65	Silicones containing 50 % by weight or more of xylene and not more than 25 % by weight of silica, of a kind used for the manufacture of long term surgical implants	0 %	-	31.12.2018
*ex 3208 90 19	75	Acenaphthalene copolymer in ethyl lactate solution	0 %	-	31.12.2022
*ex 3215 11 00	10	Printing ink, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by	0 %	-	31.12.2018
*ex 3215 19 00	10				

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 3215 19 00	20	weight not more than 13 % of vinyl acrylate copolymer and colour pigments <u>Ink:</u> — consisting of a polyester polymer and a dispersion of silver (CAS RN 7440-22-4) and silver chloride (CAS RN 7783-90-6) in methyl propyl ketone (CAS RN 107-87-9), — with a total solid content by weight of 55 % or more, but not more than 57 %, and — with a specific gravity of 1,40 g/cm ³ or more, but not more than 1,60 g/cm ³ , <u>for use in the manufacture of electrodes</u> (1)	0 %	l	31.12.2022
*ex 3402 13 00	20	Surfactant containing 1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated	0 %	-	31.12.2022
*ex 3506 91 90	60	Temporary wafer-bonding adhesive material in the form of a suspension of a solid polymer in D-limonene (CAS RN 5989-27-5) with a polymeric content by weight of 65 % or more but not more than 75 %	0 %	l	31.12.2022
*ex 3506 91 90	70	Temporary wafer-bonding release in form of a suspension of a solid polymer in cyclopentanone (CAS RN 120-92-3) with a polymeric content of not more than 10 % by weight	0 %	l	31.12.2022
*ex 3603 00 90	10	Igniters for gas generators with an overall maximum length of 20,34 mm or more but not more than 25,25 mm and a pin length of 6,68 mm (± 0,3 mm) or more but not more than 6,9 mm (± 0,3 mm)	0 %	-	31.12.2022
*ex 3707 90 29	50	<u>Dry ink powder or toner blend, consisting of:</u> — styrene acrylate/butadiene copolymer — either carbon black or an organic pigment — whether or not containing polyolefin or amorphous silica <u>for use as a developer in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers</u> (1)	0 %	-	31.12.2022
*ex 3801 90 00	20	<u>Pitch coated graphite based powder with:</u> — an average particle size of 10,8 µm or more but not more than 13,0 µm, — an iron content of less than 40 ppm, — a copper content of less than 5 ppm, — a nickel content of less than 5 ppm, — an average surface area (N ₂ atmosphere) of 3,0 m ² /g or more but not more than 4,36 m ² /g, and — a magnetic metal impurity of less than 0,3 ppm	0 %	kg	31.12.2022
*ex 3808 91 90	60	Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)	0 %	-	31.12.2022
*ex 3811 21 00	30	Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 3811 21 00	50	blending process Additives for lubricating oils, — based on calcium C16-24 alkylbenzenesulphonates (CAS RN 70024-69-0), — containing mineral oils, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2022
*ex 3811 21 00	60	Additives for lubricating oils, containing mineral oils, — based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25 % or more but not more than 35 %, — with a total base number (TBN) of 280 or more but not more than 320, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2022
*ex 3811 21 00	70	Additives for lubricating oils, containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), — containing mineral oils, — with a chlorine content by weight of 0,05 % or more but not more than 0,25 %, — with a total base number (TBN) of more than 20, used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2022
*ex 3811 21 00	85	Additives, — containing more than 20 % or more but not more than 45 % by weight of mineral oils, — based on a mixture of branched dodecylphenol sulfide calcium salts, whether or not carbonated, of a kind used in the manufacture of blends of additives for lubricating oils	0 %	-	31.12.2022
*ex 3811 29 00	20	Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of lubricating oils	0 %	-	31.12.2022
*ex 3811 29 00	30	Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process	0 %	-	31.12.2022
*ex 3811 29 00	40	Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0,01 % or more but not more than 0,5 %, used as a concentrated additive for the manufacture of lubricating oils	0 %	-	31.12.2022
*ex 3811 29 00	50	Additives for lubricating oils, consisting of a mixture of <i>N,N</i> -dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a	0 %	-	31.12.2022

CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
		blending process			
*ex 3811 90 00	40	Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 20 % or more but not more than 29,9 % of 2-ethylhexanol	0 %	-	31.12.2022
*ex 3812 39 90	80	UV-stabilizer, consisting of: — a hindered amine: <i>N,N'</i> -bis(1,2,2,6,6-pentamethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) and — either an <i>o</i> -hydroxyphenyl triazine UV light absorber or — a chemically modified phenolic compound	0 %	-	31.12.2022
*ex 3815 19 90 *ex 8506 90 00	87 10	Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries) (1)	0 %	-	31.12.2018
*ex 3815 90 90	16	Initiator based on dimethylaminopropyl urea	0 %	-	31.12.2022
*ex 3815 90 90	18	Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7-dimethyl-1 <i>H</i> -1,4,7-triazonine-1-yl- <i>kN</i> ¹ , <i>kN</i> ⁴ , <i>kN</i> ⁷)ethane-di- μ -oxo- μ -(ethanoato- <i>kO</i> , <i>kO</i> ['])-, di[chloride(1-)],(CAS RN 1217890-37-3) used to accelerate chemical oxidation or bleaching	0 %	-	31.12.2022
*ex 3815 90 90	22	Catalyst in powder form consisting by weight of 95 % (\pm 1 %) titanium dioxide and 5 % (\pm 1 %) silicon dioxide	0 %	-	31.12.2022
*ex 3815 90 90	85	Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins (1)	0 %	-	31.12.2022
*ex 3824 99 92	26	Preparation containing by weight: — 60 % or more but not more than 75 % of Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) — 15 % or more but not more than 25 % of 4-(4-nitrophenylazo)-2,6-di- <i>sec</i> -butyl-phenol (CAS RN 111850-24-9), and — 10 % or more but not more than 15 % of 2- <i>sec</i> -butylphenol (CAS RN 89-72-5)	0 %	-	31.12.2022
*ex 3824 99 92	28	Aqueous solution containing by weight — 10 % or more but not more than 42 % of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5), — 10 % or more but not more than 25 % of sulphuric acid (CAS RN 7664-93-9) and — 0,5 % or more but not more than 2,9 % of methanol (CAS RN 67-56-1)	0 %	-	31.12.2020
*ex 3824 99 92	29	Preparation containing by weight: — 85 % or more but not more than 99 % of polyethylene glycol ether of butyl 2-cyano 3-(4-hydroxy-3-methoxyphenyl) acrylate, and — 1 % or more but not more than 15 % of polyoxyethylene (20) sorbitan trioleate	0 %	-	31.12.2020
*ex 3824 99 92	35	Preparations containing not less than 92 % or more but not more	0 %	-	31.12.2018

CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
		than 96,5 % by weight of 1,3:2,4- <i>bis-O</i> -(4-methylbenzylidene)- <i>D</i> -glucitol and also containing carboxylic acid derivatives and an alkyl sulphate			
*ex 3824 99 92	39	Preparation containing not less than 47 % by weight of 1,3:2,4- <i>bis-O</i> -benzylidene- <i>D</i> -glucitol	0 %	-	31.12.2018
*ex 3824 99 92	47	Preparation, containing: — triethylphosphine oxide (CAS RN 78-50-2), — dioctylhexylphosphine oxide (CAS RN 31160-66-4), — octyldihexylphosphine oxide (CAS RN 31160-64-2) and — trihexylphosphine oxide (CAS RN 3084-48-8)	0 %	-	31.12.2022
*ex 3824 99 92	49	Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)	0 %	-	31.12.2022
*ex 3824 99 92	50	Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses ⁽¹⁾	0 %	-	31.12.2022
*ex 3824 99 92	80	Diethylene glycol propylene glycol triethanolamine titanate complexes (CAS RN 68784-48-5) dissolved in diethylene glycol (CAS RN 111-46-6)	0 %	-	31.12.2022
*ex 3824 99 93	30	Powder Mixture containing by weight: — 85 % or more of zinc diacrylate (CAS RN 14643-87-9), — not more than 5 % of 2,6-di- <i>tert</i> -butyl- α -dimethylamino- <i>p</i> -cresol (CAS RN 88-27-7), and — not more than 10 % of zinc stearate (CAS RN 557-05-1)	0 %	-	31.12.2018
*ex 3824 99 93	63	Mixture of phytosterols, not in the form of powder, containing by weight: — 75 % or more of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters ⁽¹⁾	0 %	-	31.12.2022
*ex 3824 99 93	83	Preparation containing:	0 %	-	31.12.2018
*ex 3824 99 96	85	— C,C'-azodi(formamide) (CAS RN 123-77-3), — magnesium oxide (CAS RN 1309-48-4) and — zinc bis(<i>p</i> -toluene sulphinate) (CAS RN 24345-02-6) in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C			
*ex 3824 99 93	88	Mixture of phytosterols derived from wood and wood based oils (tall oil), in the form of powder, containing by weight: — 60 % or more, but not more than 80 % of sitosterols, — not more than 15 % of campesterols, — not more than 5 % of stigmasterols and — not more than 15 % of betasitostanols	0 %	-	31.12.2022
*ex 3824 99 96	45	Lithium nickel cobalt aluminum oxide powder (CAS RN 177997-13-6) with: — a particle size of less than 10 μ m, — a purity by weight of more than 98 %	0 %	kg	31.12.2022
*ex 3824 99 96	50	Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 3824 99 96	87	used to produce positive electrodes for accumulators Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight: — 0,1 % or more but not more than 1 % of platinum, and — 0,5 % or more but not more than 5 % of ethylaluminium dichloride (CAS RN 563-43-9)	0 %	-	31.12.2022
*ex 3903 90 90	15	Copolymer in the form of granules containing by weight: — 78 (± 4 %) of styrene, — 9 (± 2 %) of n-butyl acrylate, — 11 (± 3 %) of n-butyl methacrylate,, — 1.5 (± 0,7 %) of methacrylic acid and — 0,01 % or more but not more than 2,5 % of polyolefinic wax	0 %	-	31.12.2018
*ex 3904 69 80	85	Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder, whether or not with fillers	0 %	-	31.12.2022
*ex 3905 30 00	10	Viscous preparation, essentially consisting of poly(vinyl alcohol) (CAS RN 9002-89-5), an organic solvent and water for use as protective coating of wafers during the manufacturing of semiconductors (1)	0 %	-	31.12.2022
*ex 3905 91 00	40	Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing by weight not more than 38 % of the monomer unit ethylene	0 %	-	31.12.2022
*ex 3906 90 90	27	Copolymer of stearyl methacrylate, isoocetyl acrylate and acrylic acid, dissolved in isopropyl palmitate	0 %	-	31.12.2022
*ex 3907 20 20	20	Polytetramethylene ether glycol with a weight average molecular weight (Mw) of 2 700 or more but not more than 3 100 (CAS RN 25190-06-1)	0 %	-	31.12.2022
*ex 3907 20 20	60	Polypropylene glycol monobutyl ether (CAS RN 9003-13-8) of an alkalinity of not more than 1 ppm of sodium	0 %	-	31.12.2022
*ex 3907 20 99	80	Isoamyl alcohol polyoxyethylene ether (CAS RN 62601-60-9)	0 %	kg	31.12.2022
*ex 3907 30 00	60	Polyglycerol polyglycidyl ether resin (CAS RN 118549-88-5)	0 %	-	31.12.2022
*ex 3907 99 80	25	Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol	0 %	-	31.12.2022
*ex 3907 99 80	70	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol	3.5 %	-	31.12.2019
*ex 3910 00 00	50	Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum	0 %	-	31.12.2022
*ex 3911 90 19	30	Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide	0 %	-	31.12.2022
*ex 3911 90 99	53	Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 3911 90 99	57	dimethanonaphthalene with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene and 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503442-46-4) Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503298-02-0)	0 %	-	31.12.2022
*ex 3919 10 80 *ex 3919 90 80	40 43	Black poly(vinyl chloride) film: — with a gloss of more than 30 degrees according to ASTM D2457, — whether or not covered on one side with a protective poly(ethyleneterephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner	0 %	-	31.12.2022
*ex 3919 10 80 *ex 3919 90 80	45 45	Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38 mm or more but not more than 1,53 mm	0 %	-	31.12.2022
*ex 3919 10 80 *ex 3919 90 80	55 53	Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N/cm (as determined by the ASTM D 3330 method)	0 %	-	31.12.2022
*ex 3919 90 80	82	Reflecting film consisting of: — a polyurethane layer, — a glass microspheres layer, — a metallised aluminium layer, and — an adhesive, covered on one or both sides with a release liner, — whether or not a poly(vinyl chloride) layer, — a layer whether or not incorporating security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use	0 %	-	31.12.2020
*ex 3919 90 80 *ex 9001 90 00	83 33	Reflector or diffuser sheets, in rolls, — for protection against ultraviolet or infra-red heat radiation, to be affixed to windows or — for equal transmission and distribution of light, intended for LCD modules	0 %	-	31.12.2022
*ex 3920 20 29	94	Co-extruded trilayer film, — each layer containing a mixture of polypropylene and polyethylene, — containing not more than 3 % by weight of other polymers, — whether or not containing titanium dioxide in the core layer, — of an overall thickness of not more than 70 µm	0 %	-	31.12.2022
*ex 3920 62 19	60	Poly(ethylene terephthalate) film: — of a thickness of not more than 20 µm, — coated on at least one side with a gas barrier layer consisting of a polymeric matrix in which silica or aluminium oxide has been dispersed and of a thickness of not more than 2µm	0 %	-	31.12.2022
*ex 3920 99 28	55	Thermoplastic polyurethane film extruded, with : — not self-adhesive, — an index of yellow lower of more than 1,0 but not more than	0 %	-	31.12.2018

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
		2,5 for 10 mm stacked films (as determined by test method ASTM E 313-10), — a light transmission higher to 87 % for 10 mm stacked films (as determined by test method ASTM D 1003-11), — a total thickness of 0,38 mm or more, but not more than 7,6 mm, — a width of 99 cm or more, but not more than 305 cm, of a kind used in the production of laminated safety glass			
*ex 3921 13 10	20	Rolls of open-cell polyurethane foam: — with a thickness of 2,29 mm (\pm 0,25 mm), — surface-treated with a foraminous adhesion promoter, and — laminated to a polyester film and a layer of textile material	0 %	-	31.12.2022
*ex 3921 19 00	60	Multi-porous multilayer separator foil with: — one microporous polyethylene layer between two microporous polypropylene layers and whether or not containing a coating of aluminium oxide on both sides, — a width of 65 mm or more but not more than 170 mm, — a total thickness of 0,01 mm or more but not more than 0,03 mm, — a porosity of 0,25 or more but not more than 0,65	0 %	m ²	31.12.2022
*ex 3921 19 00	70	Microporous membranes of expanded Polytetrafluoroethylene (ePTFE) in rolls, having: — a width of 1 600 mm or more but not more than 1 730 mm, and — a membrane thickness of 15 μ m or more, but not more than 50 μ m for use in the manufacture of a bi-component ePTFE membrane ⁽¹⁾	0 %	-	31.12.2022
.ex 3921 19 00	80	Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with — zero transversal production direction (TD) shrinkage, — a total thickness of 10 μ m or more but not more than 50 μ m, — a width of 15 mm or more but not more than 900 mm, — a length of more than 200 m but not more than 3000 m, and — an average pore size between 0,02 μ m and 0,1 μ m	0 %	-	31.12.2022
*ex 3926 30 00 *ex 3926 90 97	30 34	Electroplated interior or exterior decorative parts consisting of: — a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, — layers of copper, nickel and chromium for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 ⁽¹⁾	0 %	p/st	31.12.2022
*ex 3926 90 97	33	Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene or polycarbonate, of a kind used for the manufacture of remote controls	0 %	p/st	31.12.2019
*ex 3926 90 97	77	Silicone decoupling ring, with an inner diameter of 15,4 mm (+0,0 mm/-0,1 mm), of a kind used in car parking aid sensor systems	0 %	p/st	31.12.2021
*ex 4104 41 19	10	Buffalo leather, split, chrome tanned synthetic retanned ("crust"), dry	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 5407 10 00	10	Textile fabric, consisting of warp filament yarns of polyamide-6,6 and weft filament yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis (phenyleneamine)	0 %	-	31.12.2022
*ex 5603 12 90	50	Non-woven: — weighing 30 g/m ² or more, but not more than 60 g/m ² , — containing fibres of polypropylene or of polypropylene and polyethylene, — whether or not printed, with: — on one side, 65 % of the total surface area having circular bobbles of 4mm in diameter, consisting of anchored, elevated un-bonded curly fibres, suitable for the engagement of extruded hook materials, and the remaining 35 % of the surface area being bonded, — and on other side a smooth untextured surface, for use in the manufacture of napkins and napkin liners for babies and similar sanitary articles (1)	0 %	m ²	31.12.2022
*ex 7009 10 00	50	Unfinished electro-chromic auto-dimming mirror for motor vehicle rear-view mirrors: — whether or not equipped with plastic backing plate, — whether or not equipped with a heating element, whether or not equipped with Blind Spot Module (BSM) display	0 %	-	31.12.2022
*ex 7019 12 00	05	Rovings ranging from 1 980 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm)	0 %	-	31.12.2022
*ex 7019 12 00	25				
*ex 7019 19 10	15	S-glass yarn of 33 tex or a multiple of 33 tex (± 13 %) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1,5 µm)	0 %	-	31.12.2022
*ex 7019 19 10	50	Yarn of 11 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments, containing 93 % by weight or more of silicon dioxide, of a nominal diameter of 6 µm or 9 µm, other than those treated	0 %	-	31.12.2022
*ex 7020 00 10	20	Raw material for optical elements of fused silicon dioxide with: — a thickness of 10 cm or more but not more than 40 cm and — a weight of 100 kg or more	0 %	-	31.12.2022
*cx 7315 11 90	10	Roller type steel timing chain with a fatigue limit of 2 kN at 7 000 rpm or more for use in the manufacture of engines of motor vehicles (1)	0 %	-	31.12.2022
*ex 7601 20 20	10	Slabs and billets of aluminium alloy containing lithium	0 %	-	31.12.2022
*ex 7608 20 20	30	Assembly for supplying compressed air, whether or not with a resonator, comprising at least:	0 %	-	31.12.2022
*ex 8708 91 99	40	— one solid aluminium tube whether or not with mounting bracket, — one flexible rubber hose, and — one metal clip			

CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8101 96 00	20	for use in the manufacture of goods of Chapter 87 (1) Tungsten wire — containing by weight 99,95 % or more of tungsten, and — with a maximum cross-sectional dimension of not more than 1,02 mm	0 %	-	31.12.2022
*ex 8102 10 00	10	Molybdenum powder with: — a purity by weight of 99 % or more and — a particle size of 1,0 µm or more, but not more than 5,0 µm	0 %	-	31.12.2022
*ex 8105 90 00	10	Bars or wires made of cobalt alloy containing, by weight: — 35 % (± 2 %) cobalt, — 25 % (± 1 %) nickel, — 19 % (± 1 %) chromium and — 7 % (± 2 %) iron conforming to the material specifications AMS 5842, of a kind used in the aerospace industry	0 %	-	31.12.2018
*ex 8108 20 00	55	Titanium alloy ingot, — with a height of 17,8 cm or more, a length of 180 cm or more, a width of 48,3 cm or more — a weight of 680 kg or more, containing alloy elements by weight of: — 3 % or more but not more than 7 % of aluminium, — 1 % or more but not more than 5 % of tin, — 3 % or more but not more than 5 % of zirconium, — 4 % or more but not more than 8 % of molybdenum	0 %	-	31.12.2020
*ex 8108 20 00	70	Titanium alloy slab, with — a height of 20,3 cm or more, but not more than 23,3 cm, — a length of 246,1 cm or more, but not more than 289,6 cm, — a width of 40,6 cm or more, but not more than 46,7 cm, — a weight of 820 kg or more but not more than 965 kg, containing alloy elements by weight of: — 5,2 % or more but not more than 6,2 % of aluminium, — 2,5 % or more but not more than 4,8 % of vanadium	0 %	-	31.12.2022
*ex 8108 90 30	15	Rods and wire of an alloy of titanium with: — a uniform solid cross-section in a form of a cylinder, — with a diameter of 0,8 mm or more, but not more than 5 mm, — an aluminium content by weight of 0,3 % or more, but not more than 0,7 %, — a silicon content by weight of 0,3 % or more, but not more than 0,6 %, — a niobium content by weight of 0,1 or more, but not more than 0,3 %, and — an iron content by weight of not more than 0,2 %	0 %	kg	31.12.2022
*ex 8108 90 50	45	Cold or hot rolled plates, sheets and strips of non-alloyed titanium with: — a thickness of 0,4 mm or more, but not more than 100 mm, — a length of not more than 14 m, and — a width of not more than 4 m	0 %	kg	31.12.2022
*ex 8108 90 50	55	Plates, sheets, strip and foil of an alloy of titanium	0 %	-	31.12.2021

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8108 90 60	30	Seamless tubes and pipes of a titanium or an alloy of titanium with: — a diameter of 19 mm or more but not more than 159 mm, — a wall thickness of 0,4 mm or more but not more than 8 mm, and — a maximum length of 18 m	0 %	kg	31.12.2022
*ex 8113 00 90	10	Carrier plate of aluminium silicon carbide (AlSiC-9) for electronic circuits	0 %	-	31.12.2022
*ex 8207 30 10	10	Set of transfer and/or tandem press tools for cold-forming, pressing, drawing, cutting, punching, bending, calibrating, bordering and throating of metal sheets, for use in the manufacture of frame parts of motor vehicles (1)	0 %	p/st	31.12.2022
*ex 8407 33 20	10	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm ³ and a power of not less than 6 kW but not exceeding 20,0 kW, for the manufacture of: — self-propelled lawn mowers, with a seat of subheading 8433 11 51, and hand-operated lawn mowers of heading 8433 11 90, — tractors of subheading 8701 91 90, whose main function is that of a lawn mower, — four stroke mowers with motor of a cylinder capacity of not less than 300 cc of subheading 8433 20 10 or — snowploughs and snow blowers of subheading 8430 20 (1)	0 %	-	31.12.2022
*ex 8407 33 80	10				
*ex 8407 90 80	10				
*ex 8407 90 90	10				
*ex 8408 90 43	40	4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having: — a capacity of not more than 3 850 cm ³ , and — a rated output of 15 kW or more but not more than 85 kW, for use in the manufacture of vehicles of heading 8427 (1)	0 %	-	31.12.2022
*ex 8408 90 45	30				
*ex 8408 90 47	50				
*ex 8409 91 00	40	Fuel injector with solenoid valve for optimized atomization in the combustion chamber for use in the manufacture of spark-ignition internal combustion piston engines of motor vehicles (1)	0 %	-	31.12.2021
*ex 8409 91 00	50	exhaust manifold with turbine housing of turbochargers with: — a heat-resistance of not more than 1 050 °C, and — a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 130 mm	0 %	p/st	31.12.2018
*ex 8409 99 00	55				
*ex 8409 99 00	60	Intake manifold for air supply to the engine cylinders, comprising at least: — a throttle, — a boost pressure sensor for use in the manufacture of compression ignition engines of motor vehicles (1)	0 %	-	31.12.2022
*ex 8409 99 00	70	Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of compression ignition engines of motor vehicles	0 %	-	31.12.2021

CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8409 99 00	80	(1) High pressure oil jet for engine piston cooling and lubrication with: — an opening pressure of 1 bar or more, but not more than 3 bar, — a closing pressure of more than 0,7 bar, — a one-way valve for use in the manufacture of compression ignition engines of motor vehicles (1)	0 %	-	31.12.2022
*ex 8411 99 00	20	Wheel-shaped gas turbine component with blades, of a kind used in turbochargers: — of a precision-cast nickel based alloy complying with standard DIN G- NiCr13Al6MoNb or DIN G- NiCr13Al16MoNb or DIN G- NiCo10W10Cr9AlTi or DIN G- NiCr12Al6MoNb or AMS AISI:686, — with a heat-resistance of not more than 1 100 °C, — with a diameter of 28 mm or more, but not more than 180 mm, — with a height of 20 mm or more, but not more than 150 mm	0 %	p/st	31.12.2022
*ex 8411 99 00	30	Turbine housing of turbochargers with: — a heat-resistance of not more than 1 050 °C, and — a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 130 mm	0 %	p/st	31.12.2021
*ex 8414 80 22	20	Air membrane compressor with:	0 %	-	31.12.2022
*ex 8414 80 80	20	— a flow of 4,5 l/min or more, but not more than 7 l/min, — power input of not more than 8,1 W, and — a gauge pressure capacity not exceeding 400 hPa (0,4 bar) of a kind used in the production of motor vehicle seats	0 %	-	31.12.2022
*ex 8415 90 00	55	Aluminium arc-welded removable receiver dryer with polyamide and ceramic elements with: — a length of 143 mm or more but not more than 292 mm, — a diameter of 31 mm or more but not more than 99 mm, — a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, and — a solid particle diameter of not more than 0,06 mm of a kind used in car air-conditioning systems	0 %	p/st	31.12.2020
*ex 8431 20 00	30	Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading 8427 (1)	0 %	p/st	31.12.2022
*ex 8481 80 69	60	Four-way reversing valve for refrigerants, consisting of: — a solenoid pilot valve — a brass valve body including valve slider and copper connections with a working pressure up to 4,5 MPa	0 %	p/st	31.12.2022
*ex 8482 10 10	40	Ball bearings:	0 %	p/st	31.12.2019
*ex 8482 10 90	30	— with an internal diameter of 3 mm or more, — with an external diameter of not more than 100 mm, — with a width of not more than 40 mm, — whether or not equipped with a duster, for use in the manufacture of belt drive steering systems of motor,	0 %	p/st	31.12.2019

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8483 30 32 *ex 8483 30 38	20 50	electric power steering systems or steering gears or assembly ball screw for steering gears (1) Bearing housing of a kind used in turbochargers: — of precision-cast grey cast iron complying with standard DIN EN 1561, — with oil chambers, — without bearings, — with a diameter of 50 mm or more, but not more than 250 mm, — with a height of 40 mm or more, but not more than 150 mm, — whether or not with water chambers and connectors	0 %	p/st	31.12.2022
*ex 8483 40 90	20	Hydrostatic transmission with: — measurements (without shafts) of not more than 154 mm x 115 mm x 108 mm, — a weight of not more than 3,3 kg, — a maximum rotation speed of the input shaft of 2700 rpm or more, but not more than 3200 rpm, — a torque of the output shaft of not more than 10,4 Nm, — a rotation speed of the output shaft of not more than 930 rpm at 2800 rpm input speed, and — an operating temperature range of -5 °C or more, but not more than +40 °C for use in the manufacture of hand-operated lawn mowers of heading 8433 11 90 (1)	0 %	-	31.12.2022
*ex 8483 40 90	30	Hydrostatic transmission with — a reduction of 20,63:1 or more, but not more than 22,68:1, — an input speed of 1800 rpm or more when loaded and of not more than 3 000 rpm when unloaded, — a continuous output torque of 142 Nm or more, but not more than 156 Nm, — an intermittent output torque of 264 Nm or more, but not more than 291 Nm, and — an axle shaft diameter of 19,02 mm or more, but not more than 19,06 mm, — whether or not equipped with a fan impeller or with a pulley with integrated fan impeller for use in the production of self-propelled lawn mowers with a seat of subheading 8433 11 51, and tractors of subheading 8701 91 90, whose main function is that of a lawn mower (1)	0 %	-	31.12.2022
*ex 8501 10 99	60	DC motor: — with a rotor speed of 3 500 rpm or more but not more than 5 000 rpm loaded and not more than 6 500 rpm when not loaded — with a power supply voltage of 100 V or more but not more than 240 V for use in the manufacture of electric fryers (1)	0 %	-	31.12.2022
*ex 8501 20 00	30	Universal AC/DC motor with — a rated output of 1,2 kW, — a supply voltage of 230 V, and — engine brake, — assembled to a reduction gear with output shaft, which is	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8501 31 00	25	<p>contained in a plastic housing</p> <p>for use as electric drive of lawnmower blades⁽¹⁾</p> <p>DC motors, brushless, with:</p> <ul style="list-style-type: none"> — an external diameter of 80 mm or more, but not more than 100 mm, — a supply voltage of 12 V, — an output at 20 °C of 300 W or more, but not more than 750 W, — a torque 20 °C of 2,00 Nm or more, but not more than 7,00 Nm, — a rated speed at 20 °C of 600 rpm or more, but not more than 3 100 rpm, — with or without the rotor angle position sensor of resolver type or Hall effect type, 	0 %	-	31.12.2022
*ex 8501 31 00	75	<p>of the kind used in power steering systems for cars</p> <p>Brushless DC motor assembly comprised of a motor and transmission, with:</p> <ul style="list-style-type: none"> — electronic control operating by Hall Effect position sensors, — voltage input 9V or more but not more than 16V, — external diameter of the motor 70 mm or more but not more than 80 mm, — output motor power 350 W or more but not more than 550W, — maximum output torque 50 Nm or more but not more than 52 Nm, — maximum output rotation speed 280 rpm or more but not more than 300 rpm, — coaxial male spline outputs of outer diameter 20 mm (±1 mm), 17 teeth and minimum length of teeth 25 mm (± 1 mm), and — with distance between root of splines 119 mm (± 1 mm) <p>for use in the manufacture of all-terrain or utility task vehicles⁽¹⁾</p>	0 %	-	31.12.2021
*ex 8501 31 00 *ex 8501 32 00	78 75	<p>Automotive-ready, brushless and permanently excited direct current motor with:</p> <ul style="list-style-type: none"> — a specified speed of not more than 4 100 rpm, — a minimum output of 400 W, but not more than 1,3 kW (at 12V), — a flange diameter of 90 mm or more, but not more than 150 mm, — a maximum length of 200 mm, measured from the beginning of the shaft to the outer ending, — a housing length of not more than 160 mm, measured from the flange to the outer ending, — a maximum of two-piece (basic housing including electric components and flange with minimum 2 and maximum 6 bore holes) aluminium diecast housing whether or not with a sealing compound (groove with an O-ring and grease), — a stator with single T-tooth design and single coil windings in 12/8 topology, and — surface magnets 	0 %	-	31.12.2020
*ex 8501 62 00	30	<p>Fuel cell system</p> <ul style="list-style-type: none"> — consisting of at least phosphoric acid fuel cells, — in a housing with integrated water management and gas treatment, 	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
		— for permanent, stationary energy supply			
*ex 8503 00 99	40	Fuel cell membrane, in rolls or sheets, with a width of not more than 150 cm, of a kind used for manufacture of fuel cells in heading 8501	0 %	p/st	31.12.2022
*ex 8504 31 80	40	Electrical transformers: — with a capacity of 1 kVA or less — without plugs or cables, for internal use in the manufacture of set top boxes and TVs ⁽¹⁾	0 %	-	31.12.2022
*ex 8504 40 82	40	Printed circuit board equipped with a bridge rectifier circuit and other active and passive components: — with two output connectors — with two input connectors which are available and useable in parallel — able to switch between bright and dimmed operation mode — with an input voltage of 40 V (+ 25 % -15 %) or 42 V (+ 25 % -15 %) in bright operation mode, with an input voltage of 30 V (± 4 V) in dimmed operation mode, or — with an input voltage of 230 V (+20 % -15 %) in bright operation mode, with an input voltage of 160 V (± 15 %) in dimmed operation mode, or — with an input voltage of 120 V (15 % -35 %) in bright operation mode, with an input voltage of 60 V (± 20 %) in dimmed operation mode — with an input current reaching 80 % of its nominal value within 20 ms — with an input frequency of 45 Hz or more, but not more than 65 Hz for 42 V and 230 V, and 45-70 Hz for 120 V versions — with an maximum inrush current overshoot of not more than 250 % of the input current — with a period of the inrush current overshoot of not more than 100 ms — with an input current undershoot of not less than 50 % of the input current — with a period of the inrush current undershoot of not more than 20 ms — with a presettable output current — with an output current reaching 90 % of its nominal pre-set value within 50 ms — with an output current reaching zero within 30 ms after removal of the input voltage — with an defined failure status in case of no-load or too-high load (end-of-life function)	0 %	p/st	31.12.2022
*ex 8504 40 82	50	Electric rectifier: — with an input AC voltage of 100-240 V at frequency of 50-60 Hz, — with two output DC voltages of 9 V or more but not more than 12 V and 396 V or more but not more than 420 V, — output cables without connectors, and — in a plastic enclosure with dimensions 110 mm (±0,5 mm) x 60 mm (±0,5mm) x 38mm (±1 mm) for use in the manufacture of products using IPL (Intensive Pulse Light) ⁽¹⁾	0 %	p/st	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8504 50 95	50	Solenoid coil with — a power consumption of not more than 6 W, — an insulation resistance of more than 100 M ohms, and — an insert hole of 11,4 mm or more, but not more than 11,8 mm	0 %	p/st	31.12.2022
*ex 8505 11 00	50	Bars specifically shaped, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with dimensions: — a length of 15 mm or more but not more than 52 mm, — a width of 5 mm or more but not more than 42 mm, of a kind to be used in the manufacture of electric servomotors for industrial automation	0 %	p/st	31.12.2022
*ex 8505 11 00	60	Rings, tubes, bushings or collars made from an alloy of neodymium, iron and boron, with — a diameter of not more than 45 mm, — a height of not more than 45 mm, of a kind used in the manufacture of permanent magnets after magnetisation	0 %	-	31.12.2022
*ex 8505 19 90	50	Article of agglomerated ferrite in the shape of a rectangular prism to become permanent magnet after magnetisation — whether or not with bevelled edges — of a length of 27 mm or more but not more than 32 mm ($\pm 0,15$ mm), — of a width of 8,5 mm or more but not more than 9,5 mm (+0,05 mm / -0,09 mm), — of a thickness of 5,5 mm or more but not more than 5,8 mm (+0/-0,2 mm), and — of a weight of 6,1 g or more but not more than 8,3 g	0 %	-	31.12.2022
*ex 8507 60 00	25	Rectangular modules for incorporation in lithium-ion rechargeable batteries, with: — a width of 352,5 mm (± 1 mm) or 367,1 mm (± 1 mm) — a depth of 300 mm (± 2 mm) or 272,6 mm (± 1 mm) — a height of 268,9 mm ($\pm 1,4$ mm) or 229,5 mm (± 1 mm) — a weight of 45,9 kg or 46,3 kg — a rating of 75 Ah and — a nominal voltage of 60 V	0 %	-	31.12.2022
*ex 8507 60 00	50	Modules for the assembly of batteries of ion lithium electric accumulators with: — a length of 298 mm or more, but not more than 408 mm, — a width of 33,5 mm or more, but not more than 209 mm, — a height of 138 mm or more, but not more than 228 mm, a weight of 3,6 kg or more, but not more than 17 kg, and — a power of 458 Wh or more, but not more than 2 158 Wh	0 %	-	31.12.2022
*ex 8507 60 00	53	Batteries of lithium-ion electric accumulators or rechargeable module: — a length of 1 203 mm or more, but not more than 1 297 mm, — a width of 282 mm or more, but not more than 772 mm, — a height of 792 mm or more, but not more than 839 mm, — a weight of 253 kg or more, but not more than 293 kg, — power of 22 kWh or 26 kWh, and — constituted of 24 or 48 modules	0 %	-	31.12.2022
*ex 8511 30 00	55	Ignition coil:	0 %	-	31.12.2021

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 8516 90 00	70	<p>— with a length of 50 mm or more, but not more than 200 mm, — with an operating temperature of – 40 °C or more, but not more than 140 °C, and — with a voltage of 9 V or more, but not more than 16 V, — with or without connection cable, for use in the manufacture of engines of motor vehicles (1)</p> <p>Inner pot: — containing side and central openings, — of annealed aluminium, — with a ceramic coating, heat resistant to more than 200° C for use in the manufacture of an electric fryer (1)</p>	0 %	p/st	31.12.2022
*ex 8518 29 95	30	<p>Loudspeakers of: — an impedance of 3 Ohm or more, but not more than 16 Ohm, — a nominal power of 2 W or more, but not more than 20 W, — with or without plastic bracket, and — with or without electric cable fitted with connectors, of a kind used for TV sets and video monitors manufacture as well as home entertainment systems</p>	0 %	-	31.12.2022
*ex 8526 91 20	30	Control unit of the emergency call system containing GSM and GPS module, for use in the manufacture of goods of Chapter 87 (1)	0 %	-	31.12.2019
*ex 8529 90 65	75	<p>Modules comprising at least semiconductor chips for: — the generation of driving signals for pixel addressing, or — driving addressing pixels</p>	0 %	p/st	31.12.2022
*ex 8529 90 92	70	<p>Rectangular fastening and covering frame: — of an aluminium alloy containing silicon and magnesium, — with a length of 500 mm or more but not more than 2 200 mm, — with a width of 300 mm or more but not more than 1 500 mm, of a kind used for the production of TV sets</p>	0 %	p/st	31.12.2022
*ex 8536 69 90	51	SCART type connectors, built into a plastic or metal housing, with 21 pins in 2 rows, for use in the manufacture of products falling within headings 8521 and 8528 (1)	0 %	p/st	31.12.2022
*ex 8536 69 90	88	Secure Digital (SD), CompactFlash, "Smart Card" and „Common interface modules (cards)" female connectors and interfaces, of a kind used for soldering on printed circuit boards, for connecting electrical apparatus and circuits and switching or protecting electrical circuits with a voltage of not more than 1 000 V	0 %	p/st	31.12.2022
*ex 8536 90 95	40	<p>Rivet contacts — of copper — plated with silver nickel alloy AgNi10 or with silver containing by weight 11,2 % (± 1,0%) of tin oxide and of indium oxide taken together — with a thickness of the plating of 0,3 mm (– 0/+ 0,015 mm) — whether or not gilded</p>	0 %	p/st	31.12.2020
*ex 8537 10 91	70	Programmable memory controller for a voltage not exceeding 1000 V, of a kind used for the operation of a combustion motor	0 %	-	31.12.2022

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
		and/or various actuators working with a combustion motor, comprising at least — a printed circuit with active and passive components, — an aluminium housing, and — multiple connectors			
*ex 8544 20 00	30	Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not GPS signal, containing: — a coaxial cable, — two or more connectors, and — 3 or more plastic clips for attachment to the dashboard of a kind used in the manufacture of goods of Chapter 87	0 %	-	31.12.2021
*ex 8544 30 00	35	Wire harness: — with an operation voltage of 12V, — wrapped in tape or covered in plastic convoluted tubing, — with 16 or more strands, with all terminals to be tin plated or equipped with connectors, for use in the manufacture of all-terrain or utility task vehicles (1)	0 %	-	31.12.2021
*ex 8544 30 00	85	extension two-core cable with two connectors, containing at least:	0 %	p/st	31.12.2020
*ex 8544 42 90	65	— a rubber grommet, — a metal attachment bracket of a kind used to connect vehicle speed sensors in the manufacture of vehicles of Chapter 87			
*ex 8548 10 29	10	Spent lithium-ion or nickel metal hydride electric accumulators	0 %	-	31.12.2018
*ex 8708 40 20	30	Automatic gearbox with a hydraulic torque converter with: — at least eight gears, — an engine torque of 300 Nm or more, and — transverse or longitudinal installation for use in the manufacture of motor vehicles of heading 8703 (1)	0 %	-	31.12.2022
*ex 8708 40 20	40	Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least: — one exterior-splined output shaft, — a rotary switch to indicate gear position, — the potential for a differential for use in the manufacture of all-terrain or utility task vehicles (1)	0 %	-	31.12.2021
*ex 8708 40 50	30				
*ex 8708 50 20	40	Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: — two electro-magnetic one direction clutches in one cage, working in both directions, — an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, — a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth	0 %	-	31.12.2021
*ex 8708 50 99	30				
*ex 8708 99 10	70				
*ex 8708 99 97	80				

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*cx 8708 93 10 *cx 8708 93 90	30 30	for use in the manufacture of all-terrain or utility task vehicles (1) Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable transmission (CVT), equipped with: — elements that activate the clutch at given rotation and generate (in this way) centrifugal force, — shaft ended with 5 or more but not more than 6 degree taper, — 3 weights, and — 1 compression spring	0 %	-	31.12.2021
*cx 8708 99 97	85	for use in the manufacture of all-terrain or utility task vehicles (1) Electroplated interior or exterior parts consisting of: — a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, — layers of copper, nickel and chromium	0 %	p/st	31.12.2022
*cx 9001 20 00	10	for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 (1) Material consisting of a polarising film, whether or not on rolls, supported on one or both sides by transparent material, whether or not with an adhesive layer, covered on one side or on both sides with a release film	0 %	-	31.12.2022
*cx 9001 50 41 *cx 9001 50 49	40 40	Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses (1)	0 %	-	31.12.2022
*cx 9001 90 00	25	Unmounted optical elements made from moulded infrared transmitting chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material	0 %	-	31.12.2018
*cx 9002 11 00	20	Lenses — measuring not more than 80 mm x 55 mm x 50 mm, — with a resolution of 160 lines/mm or better, and — with a zoom ratio of 18 times, of a kind used for the production of visualizers or live image cameras	0 %	-	31.12.2022
*cx 9002 11 00	40	Lenses — measuring not more than 125 mm x 65 mm x 65 mm, — with a resolution of 125 lines/mm or better, and — with a zoom ratio of 16 times of a kind used for the production of visualizers or live image cameras	0 %	-	31.12.2018
*cx 9002 11 00	85	Lens assembly with: — a horizontal field of view range of 50 deg or more, but not more than 200 deg, — a focal length of 1,16 mm or more, but not more than 5,45 mm, — a relative aperture of F/2,0 or more but not more than F/2,6,	0 %	-	31.12.2019

CN code	TARI C	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
*ex 9002 90 00	40	<p>and — a diameter of 5 mm or more but not more than 18,5 mm, for use in the manufacture of CMOS automotive cameras (1)</p> <p>Mounted lenses made from infrared transmitting chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material</p>	0 %	p/st	31.12.2022
*ex 9032 89 00	40	Digital valve controller for controlling liquids and gases	0 %	p/st	31.12.2022

(2) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

(3) Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

(4) A surveillance of imports of goods covered by this tariff suspension shall be established in accordance with the procedure laid down in Articles 55 and 56 of Commission Implementing Regulation (EU) 2015/2447 of 24 November 2015 laying down detailed rules for implementing certain provisions of Regulation (EU) No 952/2013 of the European Parliament and of the Council laying down the Union Customs Code (OJ L 343, 29.12.2015, p. 558).

* A newly introduced measure or a measure with amended conditions.